



INFORMATIVE SPECIFICATION

PROPILENGLICOL (MPG) GRADO USP/EP.

PROPERTIES	UNIT	TEST METHOD	VALUES
Purity	% wght	MA083040	99.80 - 100.00
DPG content	% wght	MA083040	0.000 - 0.100
Specific weight (25°C/25°C)		MA083034	1.035 - 1.037
Distillation initial point	°C	MA083036	186.0 - 189.0
Distillation final point	°C	MA083036	186.0 - 189.0
Acid value	ppm	MA083033	0 - 20
Ashes	ppm	MA083039	0 - 50
Suspended material		MA003011	Exempt
Water content	% wght	MA083037	0.000 - 0.100
Odour		MA083032	Characteristic
Pt-Co colour	Pt-Co	MA083038	0 - 5
Appearance		MA003011	Clear, colourless liquid
Refractive index at 20°C	UN	MA003012	1.431 - 1.433

OBSERVATIONS: The following parameters are product's characteristics and are inspected periodically.

Chlorides	ppm	MA083005	0.0 - 1.0
Iron	ppm	MA083006	0.00 - 0.50
Arsenic	ppm	MA083011	0.0 - 1.0
Heavy metals	ppm	MA083012	0.0 - 5.0
Sulphates	ppm	MA083013	0 - 60
Oxidizing substances		MA083028	O.K.
Organic volatile impurities		MA083026	VOCS

Repsol Química reserves the right to modify the values of the parameters that appear in the above document without prior notification.

This publication is given solely for your information only. Under all given circumstances, the converter shall be responsible for applying the most appropriate conditions for transformation and utilisation.



INFORMATIVE SPECIFICATION

PROPILENGLICOL (MPG) GRADO USP/EP.

PROPERTIES	UNIT	TEST METHOD	VALUES
Reducing substances		MA083028	O.K.
IR Spectrum		MA003016	Pass
Melting point of nitrobenzoate	°C	MA083029	121 - 128
EG and DEG content	%	MA083031	0.0 - 0.1
Lead content	ppm	MA083041	0 - 1
EP Acidity	ml	MA083033	0.00 - 0.05
MPG USP Acidity	ml	MA083033	0.0 - 0.2
Relative density 20/ 20°C		MA083034	1.035 - 1.040
Residue of Ignition - USP	mg	MA083039	0.0 - 3.5
Residue of Ignition - FCC	% wght	MA083039	0.000 - 0.007
Sulphated Ashes	mg	MA083039	0 - 5

Repsol Química reserves the right to modify the values of the parameters that appear in the above document without prior notification.

This publication is given solely for your information only. Under all given circumstances, the converter shall be responsible for applying the most appropriate conditions for transformation and utilisation.